

Jessica

From: Ewulaas_Do_Not_Reply@dws.gov.za
Sent: Wednesday, 18 July 2018 3:56 PM
To: jessica@ecoimpact.co.za
Subject: Water User Application have been submitted to the department

Dear Mrs Jessica Le Roux (EAP)

The following application have been submitted to the department:

Swellendam Housing and Infrastructure (Railton East)

Thank you,
e-WULAAS Team



In Production

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

PROOF OF RECEIPT OF YOUR APPLICATION FORM TO APPLY FOR A WATER USE LICENCE IN TERMS OF SECTION 40 OF THE NATIONAL WATER ACT, 1998 (ACT 36 OF .1998), Breede Gouritz - Worcester.

WSP : SWELLEDAM LOCAL MUNICIPALITY : Swellendam Housing and Infrastructure (Railton East)

Ref. No: WU9164

The Department of Water and Sanitation hereby acknowledges receipt of your application form to apply for a water use license that is received on 26 Aug 2018.

A formal acknowledgement letter will be sent to you in no later than 3 days of receipt of this letter.

Yours faithfully,



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

Enquiries: Mrs E Rossouw
Telephone: 0233468000/17
Ref. No: WU9164

Mrs. JL Le Roux
WSP : SWELLENDAM LOCAL MUNICIPALITY
P.O. BOX 45070
CLAREMONT
7735

Dear Mrs. JL Le Roux,

WATER USE LICENCE APPLICATION IN TERMS OF SECTION 40 OF THE NATIONAL WATER ACT, 1998 (ACT 36 OF 1998), BREEDE-GOURITZ CATHCMENT MANAGMENT AGENCY

The Department of Water and Sanitation has assessed your water use licence application that was submitted on 26 Aug 2018. In order for the Department to further process your application the following additional is requested;

The writer hereof has been to the site before. The dam design must please be clarified with our Engineer, Mr. Ereck Chibuwe (023 3468000) and a site visit may be aranged with him separately to discuss the design requirements.

Railton ward councillors and community forums should be invited for comment personally in addition to the public notification so that their concerns can be dealt with during the process.

Technical Documentation
Dam design report including a method statement and water balance for the property
Dam safety classification
EIA Report
Environmental Management Plan Report
Freshwater impact assessment report and risk matrix
Proof of payment of licence processing fee/Letter of waiver from DWS
Proof of public participation with adjacent land owners
Technical WUL report including maps of relevant properties, dams, pipelines and crossings

The development's stormwater management plan (signed off by the Municipal Manager) should be included in the Technical WUL report. The stormwater management plan should consider the re-use of water from the retention dams, the pollution risk of the dams to the environment and receiving water bodies and human safety interventions. During a meeting with the Municipality and Interested and Affected Parties in 2011, a concern was raised regarding the possible result of a smelly wetland condition. The Municipality replied to the concern by mentioning sub-soil drains and a smallish v-canal. This letter requests that the report from Element Consulting be considered during the investigation.

The information requested must be submitted to the Department on or before 18 March 2019.

Failure to submit the required information will result in the Department making a decision based on the available information.

Should you wish to make any further enquiries in this regard please do not hesitate to contact Mrs E Rossouw at telephone number 0233468000 or by means of email at erossouw@bgcma.co.za.

Yours faithfully,

Recommend
Comments:



I, Mr Jan Van Staden (Acting CEO: BGCMA) herewith electronically sign this document. Electronic Signature key : 5177508767029083558

Director: Institutional Establishment

Date: Dec 10 2018 1:45PM



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

51 Baring Street Worcester, 6550, Private Bag X3055, Worcester 6850
Enquiries: Mrs. E Rossouw Tel: 023 346 8000 Fax: 023 347 2012 Email:erossouw@bgcma.co.za

Enquiries: Mrs E Rossouw
Telephone: +27233468000
Ref: WU9164
File No.: 27/2/2/H270/1/2

Mrs Jessica Le Roux
WSP : SWELLENDAAM LOCAL MUNICIPALITY
P.O. BOX 45070; Claremont
7735

Dear Mrs Le Roux,

ACKNOWLEDGEMENT OF RECEIPT OF YOUR APPLICATION FORM TO APPLY FOR A WATER USE LICENCE APPLICATION IN TERMS OF SECTION 40 OF THE NATIONAL WATER ACT, 1998 (ACT 36 OF 1998), BREEDE GOURITZ CATCHMENT MANAGEMENT AGENCY (BGCMA).

The Breede-Gouritz Catchment Management Agency hereby acknowledges receipt of your application form to apply for a water use licence. Your pre-water use licence application enquiry has been assessed. Please continue to apply for a water use licence.

The water use licence application processes require that a site visit be conducted with prospective applicants where the water use will take place before they can submit their full water use licence application with technical reports to BGCMA. You are therefore advised to arrange a site visit to your property with the allocated case officer within 5 days of receipt of this letter. Please note that the site visit must occur within 25 days of receipt of this letter. Failure to arrange and to confirm availability within the specified time may lead to the rejection of your application for a water use licence.

Please note that if you submit your technical reports without a site visit being conducted, your application will be assessed on the basis of unverified information. Should you wish to make any further enquiries in this regard please do not hesitate to contact Mrs E Rossouw at telephone number 023 346 8000.

Yours faithfully,

MR. JAN VAN STADEN
CHIEF EXECUTIVE OFFICER (ACTING)

DATE:

Approve

Comments:

Please contact the official indicated in the acknowledgement letter for further licence processing steps.



I, Mr John Sibanyoni (WULA Manager (Acting)) herewith electronically sign this document. Electronic Signature key : 4693799147541311994

WULA Manager

Date: Aug 26 2018 11:20PM

Jessica

From: Jessica <jessica@ecoimpact.co.za>
Sent: Wednesday, 19 December 2018 11:40 AM
To: 'Ereck Chibuwe'
Subject: RE: Swellendam Housing East

Good day Ereck

Perfect – confirmed for 13h00n on the 10th of January.

Kind regards,

Jessica Hansen
Head of Training
ISO 50001 Energy Expert
Pri.Sci.Nat 400192/16



Eco Impact Legal Consulting (Pty) Ltd
Reg: 2010/015546/07
P.O. Box 45070
Claremont
South Africa
7735
Office: +27 (0) 21 671 1660
Fax: +27 (0) 21 671 9976
Email: jessica@ecoimpact.co.za
Web: www.ecoimpact.co.za

Disclaimer: This message may contain information which is private, privileged or confidential and is intended solely for the use of the individual or entity named in the message. If you are not the intended recipient of this message please notify the sender thereof and destroy/delete the message. Neither the sender nor Eco Impact shall incur any liability resulting directly or indirectly from accessing any of the attached files which may contain a virus file.

From: Ereck Chibuwe <EChibuwe@bgcma.co.za>
Sent: Wednesday, 19 December 2018 11:34 AM
To: Jessica <jessica@ecoimpact.co.za>
Subject: RE: Swellendam Housing East

Hi Jessica,
Can we please make it 13h00 because I have an earlier engagement in Worcester at 09h00.

Kind regards

Ereck Chibuwe, Pr Eng
Engineer
Breede-Gouritz Catchment Management Agency
Tel: 023 346 8050 | Cell: 078 905 4462 | Fax: 044 873 2199 | Email EChibuwe@bgcma.co.za
Unit 302, 101 York Street, P.O. Box 1205, George, 6530



From: Jessica [<mailto:jessica@ecoimpact.co.za>]
Sent: 19 December 2018 11:22 AM
To: Ereck Chibuwe
Subject: RE: Swellendam Housing East

Good day Ereck

We are back on the 7th of January.

Would the 10th of January at 11am be suitable?

Kind regards,

Jessica Hansen
Head of Training
ISO 50001 Energy Expert
Pri.Sci.Nat 400192/16



Eco Impact Legal Consulting (Pty) Ltd
Reg: 2010/015546/07
P.O. Box 45070
Claremont
South Africa
7735
Office: +27 (0) 21 671 1660
Fax: +27 (0) 21 671 9976
Email: jessica@ecoimpact.co.za
Web: www.ecoimpact.co.za

Disclaimer: This message may contain information which is private, privileged or confidential and is intended solely for the use of the individual or entity named in the message. If you are not the intended recipient of this message please notify the sender thereof and destroy/delete the message. Neither the sender nor Eco Impact shall incur any liability resulting directly or indirectly from accessing any of the attached files which may contain a virus file.

From: Ereck Chibuwe <EChibuwe@bgcma.co.za>
Sent: Wednesday, 19 December 2018 9:22 AM
To: Jessica <jessica@ecoimpact.co.za>; Elkerine Rossouw <erossouw@bgcma.co.za>; Thembele Bushula <TBushula@bgcma.co.za>
Cc: 'Nicolaas Hanekom' <nicolaas@ecoimpact.co.za>
Subject: RE: Swellendam Housing East

Hi Jessica,
I am going to Ceres on the 9th of January, hence wanted to check if you will be back from leave by the 10th so that I can do it then.

Kind regards

Ereck Chibuwe, Pr Eng

Engineer
Breede-Gouritz Catchment Management Agency
Tel: 023 346 8050 | Cell: 078 905 4462 | Fax: 044 873 2199 | Email EChibuwe@bgcma.co.za
Unit 302, 101 York Street, P.O. Box 1205, George, 6530



From: Jessica [<mailto:jessica@ecoimpact.co.za>]
Sent: 18 December 2018 03:51 PM
To: Ereck Chibuwe; Elkerine Rossouw; Thembela Bushula
Cc: 'Nicolaas Hanekom'
Subject: RE: Swellendam Housing East

Good day Ereck

Please advise regarding the site visit?

Kind regards,

Jessica Hansen
Head of Training
ISO 50001 Energy Expert
Pri.Sci.Nat 400192/16



Eco Impact Legal Consulting (Pty) Ltd
Reg: 2010/015546/07
P.O. Box 45070 **Office:** +27 (0) 21 671 1660
Claremont **Fax:** +27 (0) 21 671 9976
South Africa **Email:** jessica@ecoimpact.co.za
7735 **Web:** www.ecoimpact.co.za

Disclaimer: This message may contain information which is private, privileged or confidential and is intended solely for the use of the individual or entity named in the message. If you are not the intended recipient of this message please notify the sender thereof and destroy/delete the message. Neither the sender nor Eco Impact shall incur any liability resulting directly or indirectly from accessing any of the attached files which may contain a virus file.

From: Ereck Chibuwe <EChibuwe@bgcma.co.za>
Sent: Tuesday, 11 December 2018 9:38 AM
To: Jessica <jessica@ecoimpact.co.za>; Elkerine Rossouw <erossouw@bgcma.co.za>; Thembela Bushula <TBushula@bgcma.co.za>
Cc: 'Nicolaas Hanekom' <nicolaas@ecoimpact.co.za>
Subject: RE: Swellendam Housing East

Hi Jessica,
I will consult with my colleagues with regards to our travelling arrangements and get back to you shortly.

Kind regards

Ereck Chibuwe, Pr Eng

Engineer

Breede-Gouritz Catchment Management Agency

Tel: 023 346 8050 | Cell: 078 905 4462 | Fax: 044 873 2199 | Email EChibuwe@bgcma.co.za

Unit 302, 101 York Street, P.O. Box 1205, George, 6530



From: Jessica [<mailto:jessica@ecoimpact.co.za>]

Sent: 11 December 2018 09:36 AM

To: Elkerine Rossouw; Ereck Chibuwe; Thembela Bushula

Cc: 'Nicolaas Hanekom'

Subject: RE: Swellendam Housing East

Importance: High

Good day Ereck

When would you like to meet on site?

The studies are almost ready, we have just had it peer reviewed and it is being updated accordingly.

Kind regards,

Jessica Hansen

Head of Training

ISO 50001 Energy Expert

Pri.Sci.Nat 400192/16



Eco Impact Legal Consulting (Pty) Ltd

Reg: 2010/015546/07

P.O. Box 45070

Claremont

South Africa

7735

Office: +27 (0) 21 671 1660

Fax: +27 (0) 21 671 9976

Email: jessica@ecoimpact.co.za

Web: www.ecoimpact.co.za

Disclaimer: This message may contain information which is private, privileged or confidential and is intended solely for the use of the individual or entity named in the message. If you are not the intended recipient of this message please notify the sender thereof and destroy/delete the message. Neither the sender nor Eco Impact shall incur any liability resulting directly or indirectly from accessing any of the attached files which may contain a virus file.

From: Elkerine Rossouw <erossouw@bgcma.co.za>

Sent: Monday, 10 December 2018 2:49 PM

To: Jessica <jessica@ecoimpact.co.za>; Ereck Chibuwe <EChibuwe@bgcma.co.za>; Thembela Bushula <TBushula@bgcma.co.za>

Cc: Nicolaas Hanekom <nicolaas@ecoimpact.co.za>

Subject: RE: Swellendam Housing East

Hi Jessica,

I know the site well and have been there for several community complaints in the past. Therefore it is not required that I conduct the site visit. I would like to however ask that you arrange a date for a site visit with our Engineer so that he can assist with the design specifications etc. I will only be available for a site visit the last week in January, but Ereck is traveling to Worcester before then (his office is in George) and it would be beneficial if you could meet with him. Depending on the outcomes of your Freshwater study, we could request Thembela Bushula to also attend the site visit. (If you have either of the reports already at hand, please feel free to share it via email to assist the specialists in preparing for the site visit.)

Kind Regards,

Elkerine Rossouw

Water Use Specialist

Email: erossouw@bgcma.co.za

Tel: 023 3468000



BREED-GOURITZ
CATCHMENT MANAGEMENT AGENCY

From: Jessica [<mailto:jessica@ecoimpact.co.za>]

Sent: 10 December 2018 02:39 PM

To: Elkerine Rossouw

Cc: Nicolaas Hanekom

Subject: Swellendam Housing East

Importance: High

Good day Elkerine

Although e-wulaas says "site visit NOT" required as does the email. The attached state that one is required. Please advise and also advise when we can meet on site?

Kind regards,

Jessica Hansen

Head of Training

ISO 50001 Energy Expert

Pri.Sci.Nat 400192/16

eco
impact

Eco Impact Legal Consulting (Pty) Ltd

Reg: 2010/015546/07

P.O. Box 45070

Claremont

Office: +27 (0) 21 671 1660

Fax: +27 (0) 21 671 9976

Disclaimer: This message may contain information which is private, privileged or confidential and is intended solely for the use of the individual or entity named in the message. If you are not the intended recipient of this message please notify the sender thereof and destroy/delete the message. Neither the sender nor Eco Impact shall incur any liability resulting directly or indirectly from accessing any of the attached files which may contain a virus file.

This message may contain information that is confidential, private or privileged in nature. If you are not the intended recipient, you may not peruse, use, disseminate, distribute, or copy this message or any file, which is attached to this message. If you received this message in error, please notify the sender immediately by e-mail or telephone and thereafter return and/or delete the original message and

any copies thereof. Please note that the recipient must scan this email and any attached files for viruses and the like.

The Breede-Gouritz Catchment Management Agency (BGCMA) accepts no liability of whatever nature for any loss, damage or expense resulting directly or indirectly from the access of any files which are attached to this message

This message may contain information that is confidential, private or privileged in nature. If you are not the intended recipient, you may not peruse, use, disseminate, distribute, or copy this message or any file, which is attached to this message. If you received this message in error, please notify the sender immediately by e-mail or telephone and thereafter return and/or delete the original message and any copies thereof. Please note that the recipient must scan this email and any attached files for viruses and the like. The Breede-Gouritz Catchment Management Agency (BGCMA) accepts no liability of whatever nature for any loss, damage or expense resulting directly or indirectly from the access of any files which are attached to this message

This message may contain information that is confidential, private or privileged in nature. If you are not the intended recipient, you may not peruse, use, disseminate, distribute, or copy this message or any file, which is attached to this message. If you received this message in error, please notify the sender immediately by e-mail or telephone and thereafter return and/or delete the original message and any copies thereof. Please note that the recipient must scan this email and any attached files for viruses and the like. The Breede-Gouritz Catchment Management Agency (BGCMA) accepts no liability of whatever nature for any loss, damage or expense resulting directly or indirectly from the access of any files which are attached to this message

This message may contain information that is confidential, private or privileged in nature. If you are not the intended recipient, you may not peruse, use, disseminate, distribute, or copy this message or any file, which is attached to this message. If you received this message in error, please notify the sender immediately by e-mail or telephone and thereafter return and/or delete the original message and any copies thereof. Please note that the recipient must scan this email and any attached files for viruses and the like. The Breede-Gouritz Catchment Management Agency (BGCMA) accepts no liability of whatever nature for any loss, damage or expense resulting directly or indirectly from the access of any files which are attached to this message

Payment receipt

Beneficiary name

DEPARTMENT OF WATER

Beneficiary reference

50000001

Your reference

WU9164

Payment date

20 December 2018

Amount

R 114.00